

COMSURFWARDEVGRU
TACMEMO
PZ1010-1-91
OH 1-6

Over-the-Horizon Surface Amphibious
Operations

Local Control Number

COMSURFWARDEVGRU

CONTROL NO: U-0149-91

DATE RECD: 9/1/18

REG. NO: N/A

COPY NO: 1 COPIES RECD

LOCATION: _____

Tactics for
Atlantic and Pacific
Surface Forces

REPORT DOCUMENTATION PAGE					<i>Form Approved OMB No. 0704-0188</i>	
<small>The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.</small>						
PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.						
1. REPORT DATE (DD-MM-YYYY)		2. REPORT TYPE			3. DATES COVERED (From - To)	
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER		
				5b. GRANT NUMBER		
				5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)				5d. PROJECT NUMBER		
				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)					8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)					10. SPONSOR/MONITOR'S ACRONYM(S)	
					11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT						
13. SUPPLEMENTARY NOTES						
14. ABSTRACT						
15. SUBJECT TERMS						
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON	
a. REPORT	b. ABSTRACT	c. THIS PAGE			19b. TELEPHONE NUMBER (Include area code)	

INSTRUCTIONS FOR COMPLETING SF 298

1. REPORT DATE. Full publication date, including day, month, if available. Must cite at least the year and be Year 2000 compliant, e.g. 30-06-1998; xx-06-1998; xx-xx-1998.

2. REPORT TYPE. State the type of report, such as final, technical, interim, memorandum, master's thesis, progress, quarterly, research, special, group study, etc.

3. DATES COVERED. Indicate the time during which the work was performed and the report was written, e.g., Jun 1997 - Jun 1998; 1-10 Jun 1996; May - Nov 1998; Nov 1998.

4. TITLE. Enter title and subtitle with volume number and part number, if applicable. On classified documents, enter the title classification in parentheses.

5a. CONTRACT NUMBER. Enter all contract numbers as they appear in the report, e.g. F33615-86-C-5169.

5b. GRANT NUMBER. Enter all grant numbers as they appear in the report, e.g. AFOSR-82-1234.

5c. PROGRAM ELEMENT NUMBER. Enter all program element numbers as they appear in the report, e.g. 61101A.

5d. PROJECT NUMBER. Enter all project numbers as they appear in the report, e.g. 1F665702D1257; ILIR.

5e. TASK NUMBER. Enter all task numbers as they appear in the report, e.g. 05; RF0330201; T4112.

5f. WORK UNIT NUMBER. Enter all work unit numbers as they appear in the report, e.g. 001; AFAPL30480105.

6. AUTHOR(S). Enter name(s) of person(s) responsible for writing the report, performing the research, or credited with the content of the report. The form of entry is the last name, first name, middle initial, and additional qualifiers separated by commas, e.g. Smith, Richard, J, Jr.

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES). Self-explanatory.

8. PERFORMING ORGANIZATION REPORT NUMBER. Enter all unique alphanumeric report numbers assigned by the performing organization, e.g. BRL-1234; AFWL-TR-85-4017-Vol-21-PT-2.

9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES). Enter the name and address of the organization(s) financially responsible for and monitoring the work.

10. SPONSOR/MONITOR'S ACRONYM(S). Enter, if available, e.g. BRL, ARDEC, NADC.

11. SPONSOR/MONITOR'S REPORT NUMBER(S). Enter report number as assigned by the sponsoring/monitoring agency, if available, e.g. BRL-TR-829; -215.

12. DISTRIBUTION/AVAILABILITY STATEMENT. Use agency-mandated availability statements to indicate the public availability or distribution limitations of the report. If additional limitations/ restrictions or special markings are indicated, follow agency authorization procedures, e.g. RD/FRD, PROPIN, ITAR, etc. Include copyright information.

13. SUPPLEMENTARY NOTES. Enter information not included elsewhere such as: prepared in cooperation with; translation of; report supersedes; old edition number, etc.

14. ABSTRACT. A brief (approximately 200 words) factual summary of the most significant information.

15. SUBJECT TERMS. Key words or phrases identifying major concepts in the report.

16. SECURITY CLASSIFICATION. Enter security classification in accordance with security classification regulations, e.g. U, C, S, etc. If this form contains classified information, stamp classification level on the top and bottom of this page.

17. LIMITATION OF ABSTRACT. This block must be completed to assign a distribution limitation to the abstract. Enter UU (Unclassified Unlimited) or SAR (Same as Report). An entry in this block is necessary if the abstract is to be limited.



DEPARTMENT OF THE NAVY
COMMANDER SURFACE WARFARE DEVELOPMENT GROUP
NAVAL AMPHIBIOUS BASE, LITTLE CREEK
NORFOLK, VIRGINIA 23521-5160

COMSURFWARDEVGRU TACMEMO
PZ1010-1-91
OH 1-6

Title: Over-the-Horizon Surface Amphibious Operations

Originator: COMSURFWARDEVGRU/MAGTF Warfighting Center

Contributors: LTGEN Milligan, USMC, FMFPAC
CAPT A. Fosina, USN, NAVBEACHGRU TWO
CAPT H. Schlichting, Jr., USN, ACU FIVE
COL Mastriion, USMC, MCCDC WFC
LCDR D. Johnson, USN, SURFWARDEVGRU
J. M. Gwyn, DNC, NAVCOASTSYSCEN
J. L. Burington, DNC, NAVCOASTSYSCEN

NWP: NWP 22-3, Ship-to-Shore Movement, pp. 4-1 through 4-15

Reference: COMNAV SURFPAC/COMNAV SURFLANTINST 3000.15/FMFPAC P3000.15
N30/WPC 043-91, Standard Operating Procedures for Raiding Craft

Purpose: This tactical memorandum (TACMEMO) provides information on current tactics for conducting over-the-horizon (OTH) surface amphibious operations.

Promulgation Date: 30 September 1991

Cancellation Date: 30 September 1993

D. G. KAISER
Captain, U.S. Navy
Commander
Surface Warfare
Development Group

M.P. CAULFIELD
Major General, U.S. Marine Corps
Director, Marine Air-Ground Task
Force Warfighting Center

Distribution: See page 3

CNO (OP-03)
 CNO (OP-37)
 CNO (OP-07)
 CNO (OP-72)
 CNO (OP-74)
 CNO (OP-743)
 COMSECONDFLT
 COMTHIRDFLT
 COMSIXTHFLT
 COMSEVENTHFLT
 COMNAVACTSCARIB
 COMNAVFORKOREA
 COMNAVSURFLANT (3 copies)
 COMNAVAILANT
 COMSURFWARDEVGRU DET WEST
 CJTFME
 COMIDEASTFOR
 COMNAVSURFPAC (10 copies)
 COMNAVIAIRPAC
 USCOMSOLANT
 USCINCSO QUARRY HEIGHTS PM (J3)
 USCINCSOC MACDILL AFB FL (J3)
 USCINCSpace PETERSON AFB CO
 (INXU)
 USCINCLANT NORFOLK VA (J3)
 USCINCPAC HONOLULU HI (J3)
 USCINCCENT MACDILL AFB FL (J3)
 USCINCEUR VAIHINGEN GE (J3)
 COMINWARCOM
 COMFLETRAGRU GUANTANAMO BAY
 COMFLETRAGRU PEARL HARBOR, HI
 COMFLETRAGRU SAN DIEGO, CA
 COMFLETRAGRU WESTPAC
 TACTRAGRULANT
 TACTRAGRUPAC
 CINCLANTFLT (N322, N86, N915)
 CINCPACFLT
 NAVWARCOL
 CINCUSNAVEUR
 SWOSCOLCOM (2 copies)
 SWOSCOLPAC
 NAVCOASTSYSCEN (1210, 1230,
 330, 3320, 7112)
 NCEL (L61)
 COMNAVSURFGRU MED (2 copies)
 COMNAVSURFGRU MIDPAC
 COMNAVSURFGRU WESTPAC
 COMNAVSURFGRUWESTPAC DET
 YOKOSUKA
 COMNAVSURFGRU FOUR (2 copies)

COMTRALANT (2 copies)
 COMTRAPAC (2 copies)
 COMNAVSEASYSOM (PMS-377)
 FLETRAULANT (4 copies)
 FLETRAULANT DET MAYPORT FL
 FLETRAULANT DET CHARLESTON SC
 FLETRACEN MAYPORT
 FLETRACEN NORFOLK
 USNA
 FLETRACEN SAN DIEGO
 COMNAVBEACHGRU ONE
 COMNAVBEACHGRU TWO
 BMU 1
 BMU 2
 ACU 1
 ACU 2
 ACU 4
 ACU 5
 COMCARGRU 1
 COMCARGRU 2
 COMCARGRU 3
 COMCARGRU 4
 COMCARGRU 5
 COMCARGRU 6
 COMCARGRU 7
 COMCARGRU 8
 NAVPHIBSCOL LITTLE CREEK
 NAVPHIBSCOL CORONADO
 ARMED FORCES STAFF COLLEGE
 COMNAVSPCWACEN
 COMCRUDESGRU 1
 COMCRUDESGRU 2
 COMCRUDESGRU 3
 COMCRUDESGRU 5
 COMCRUDESGRU 8
 COMCRUDESGRU 12
 COMPHIBGRU 1
 COMPHIBGRU 2
 COMPHIBGRU 3
 COMPHIBRON 1
 COMPHIBRON 2
 COMPHIBRON 3
 COMPHIBRON 4
 COMPHIBRON 5
 COMPHIBRON 6
 COMPHIBRON 7
 COMPHIBRON 8
 COMPHIBRON 9
 COMPHIBRON 10
 COMPHIBRON 12

COMDESRON 2
 COMDESRON 4
 COMDESRON 5
 COMDESRON 6
 COMDESRON 7
 COMDESRON 8
 COMDESRON 9
 COMDESRON 10
 COMDESRON 12
 COMDESRON 13
 COMDESRON 14
 COMDESRON 15
 COMDESRON 17
 COMDESRON 20
 COMDESRON 21
 COMDESRON 22
 COMDESRON 23
 COMDESRON 24
 COMDESRON 25
 COMDESRON 26
 COMDESRON 31
 COMDESRON 32
 COMDESRON 33
 COMDESRON 35
 COMDESRON 36
 COMINEDIV 51
 COMINEDIV 52
 COMINEDIV 53
 COMINEDIV 54
 COMINEDIV 121
 COMINEDIV 123
 COMINEDIV 125
 COMINEDIV 126
 COMSURFRON 1
 COMTACGRU 1
 COMTACGRU 2
 TACRON 11
 TACRON 12
 TACRON 21
 TACRON 22
 TACRON 23
 TACRON 24
 USS MIDWAY (CV 41)
 USS FORRESTAL (CV 59)
 USS SARATOGA (CV 60)
 USS RANGER (CV 61)
 USS INDEPENDENCE (CV 62)
 USS KITTY HAWK (CV 63)
 USS CONSTELLATION (CV 64)
 USS ENTERPRISE (CVN 65)

USS AMERICA (CV 66)
 USS JOHN F KENNEDY (CV 67)
 USS NIMITZ (CVN 68)
 USS DWIGHT D EISENHOWER
 (CVN 69)
 USS CARL VINSON (CVN 70)
 USS THEODORE ROOSEVELT
 (CVN 71)
 USS ABRAHAM LINCOLN (CVN 72)
 PCO GEORGE WASHINGTON (CVN 73)
 USS LONG BEACH (CGN 9)
 USS BAINBRIDGE (CGN 25)
 USS TRUXTUN (CGN 35)
 USS CALIFORNIA (CGN 36)
 USS SOUTH CAROLINA (CGN 37)
 USS VIRGINIA (CGN 38)
 USS TEXAS (CGN 39)
 USS MISSISSIPPI (CGN 40)
 USS ARKANSAS (CGN 41)
 USS LEAHY (CG 16)
 USS HARRY E YARNELL (CG 17)
 USS WORDEN (CG 18)
 USS DALE (CG 19)
 USS RICHMOND K TURNER (CG 20)
 USS GRIDLEY (CG 21)
 USS ENGLAND (CG 22)
 USS HALSEY (CG 23)
 USS REEVES (CG 24)
 USS BELKNAP (CG 26)
 USS JOSEPHUS DANIELS (CG 27)
 USS WAINWRIGHT (CG 28)
 USS JOUETT (CG 29)
 USS HORNE (CG 30)
 USS STERETT (CG 31)
 USS WILLIAM H STANDLEY (CG 32)
 USS FOX (CG 33)
 USS BIDDLE (CG 34)
 USS TICONDEROGA (CG 47)
 USS YORKTOWN (CG 48)
 USS VINCENNES (CG 49)
 USS VALLEY FORGE (CG 50)
 USS THOMAS S GATES (CG 51)
 USS BUNKER HILL (CG 52)
 USS MOBILE BAY (CG 53)
 USS ANTIETAM (CG 54)
 USS LEYTE GULF (CG 55)
 USS SAN JACINTO (CG 56)
 USS LAKE CHAMPLAIN (CG 57)
 USS PHILIPPINE SEA (CG 58)
 USS PRINCETON (CG 59)

USS NORMANDY (CG 60)
 USS MONTEREY (CG 61)
 USS CHANCELLORSVILLE (CG 62)
 USS COWPENS (CG 63)
 USS GETTYSBURG (CG 64)
 USS CHOSIN (CG 65)
 USS HUE CITY (CG 66)
 PCO SHILOH (CG 67)
 PCO ANZIO (CG 68)
 USS KIDD (DDG 993)
 USS CALLAGHAN (DDG 994)
 USS SCOTT (DDG 995)
 USS CHANDLER (DDG 996)
 USS ARLEIGH BURKE (DDG 51)
 PCO JOHN BARRY (DDG 52)
 PCO JOHN PAUL JONES (DDG 53)
 USS SPRUANCE (DD 963)
 USS PAUL F FOSTER (DD 964)
 USS KINKAID (DD 965)
 USS HEWITT (DD 966)
 USS ELLIOT (DD 967)
 USS ARTHUR W RADFORD (DD 968)
 USS PETERSON (DD 969)
 USS CARON (DD 970)
 USS DAVID R RAY (DD 971)
 USS OLDENDORF (DD 972)
 USS JOHN YOUNG (DD 973)
 USS COMTE DE GRASSE (DD 974)
 USS O'BRIEN (DD 975)
 USS MERRILL (DD 976)
 USS BRISCOE (DD 977)
 USS STUMP (DD 978)
 USS CONOLLY (DD 979)
 USS MOOSBRUGGER (DD 980)
 USS JOHN HANCOCK (DD 981)
 USS NICHOLSON (DD 982)
 USS JOHN RODGERS (DD 983)
 USS LEFTWICH (DD 984)
 USS CUSHING (DD 985)
 USS HARRY W HILL (DD 986)
 USS O'BANNON (DD 987)
 USS THORN (DD 988)
 USS DEYO (DD 989)
 USS INGERSOLL (DD 990)
 USS FIFE (DD 991)
 USS FLETCHER (DD 992)
 USS HAYLER (DD 997)
 USS OLIVER HAZARD PERRY (FFG 7)
 USS MCINERNEY (FFG 8)
 USS WADSWORTH (FFG 9)

USS DUNCAN (FFG 10)
 USS CLARK (FFG 11)
 USS GEORGE PHILIP (FFG 12)
 USS SAMUEL E MORISON (FFG 13)
 USS SIDES (FFG 14)
 USS ESTOCIN (FFG 15)
 USS CLIFTON SPRAGUE (FFG 16)
 USS JOHN A MOORE (FFG 19)
 USS ANTRIM (FFG 20)
 USS FLATLEY (FFG 21)
 USS FAHRION (FFG 22)
 USS LEWIS B PULLER (FFG 23)
 USS JACK WILLIAMS (FFG 24)
 USS COPELAND (FFG 25)
 USS GALLERY (FFG 26)
 USS MAHLON S TISDALE (FFG 27)
 USS BOONE (FFG 28)
 USS STEPHEN W GROVES (FFG 29)
 USS REID (FFG 30)
 USS STARK (FFG 31)
 USS JOHN L HALL (FFG 32)
 USS JARRETT (FFG 33)
 USS AUBREY FITCH (FFG 34)
 USS UNDERWOOD (FFG 36)
 USS CROMMELIN (FFG 37)
 USS CURTS (FFG 38)
 USS DOYLE (FFG 39)
 USS HALYBURTON (FFG 40)
 USS MCCLUSKY (FFG 41)
 USS KLAKRING (FFG 42)
 USS THACH (FFG 43)
 USS DE WERT (FFG 45)
 USS RENTZ (FFG 46)
 USS NICHOLAS (FFG 47)
 USS VANDEGRIFT (FFG 48)
 USS ROBERT G BRADLEY (FFG 49)
 USS TAYLOR (FFG 50)
 USS GARY (FFG 51)
 USS CARR (FFG 52)
 USS HAWES (FFG 53)
 USS FORD (FFG 54)
 USS ELROD (FFG 55)
 USS SIMPSON (FFG 56)
 USS REUBEN JAMES (FFG 57)
 USS SAMUEL B ROBERTS (FFG 58)
 USS KAUFFMAN (FFG 59)
 USS RODNEY M DAVIS (FFG 60)
 USS INGRAHAM (FFG 61)
 USS KNOX (FF 1052)
 USS ROARK (FF 1053)

USS GRAY (FF 1054)
 USS HEPBURN (FF 1055)
 USS CONNOLE (FF 1056)
 USS RATHBURN (FF 1057)
 USS MEYERKORD (FF 1058)
 USS LANG (FF 1060)
 USS PATTERSON (FF 1061)
 USS WHIPPLE (FF 1062)
 USS REASONER (FF 1063)
 - USS LOCKWOOD (FF 1064)
 USS STEIN (FF 1065)
 USS MARVIN SHIELDS (FF 1066)
 USS FRANCIS HAMMOND (FF 1067)
 USS VREELAND (FF 1068)
 USS BAGLEY (FF 1069)
 USS DOWNES (FF 1070)
 USS BADGER (FF 1071)
 USS BLAKELY (FF 1072)
 USS ROBERT E PEARY (FF 1073)
 USS HAROLD E HOLT (FF 1074)
 USS TRIPPE (FF 1075)
 USS FANNING (FF 1076)
 USS OUELLET (FF 1077)
 USS JOSEPH HEWES (FF 1078)
 USS BOWEN (FF 1079)
 USS PAUL (FF 1080)
 USS AYLWIN (FF 1081)
 USS ELMER MONTGOMERY (FF 1082)
 USS COOK (FF 1083)
 USS MCCANDLESS (FF 1084)
 USS DONALD B BEARY (FF 1085)
 USS BREWTON (FF 1086)
 USS KIRK (FF 1087)
 USS BARBEY (FF 1088)
 USS JESSE L BROWN (FF 1089)
 USS AINSWORTH (FF 1090)
 USS THOMAS C HART (FF 1092)
 USS CAPODANNO (FF 1093)
 USS PHARRIS (FF 1094)
 USS TRUETT (FF 1095)
 USS VALDEZ (FF 1096)
 USS MOINESTER (FF 1097)
 USS BLUE RIDGE (LCC 19)
 USS MOUNT WHITNEY (LCC 20)
 USS TARAWA (LHA 1)
 USS SAIPAN (LHA 2)
 USS BELLEAU WOOD (LHA 3)
 USS NASSAU (LHA 4)
 USS PELELIU (LHA 5)
 USS WASP (LHD 1)

USS CHARLESTON (LKA 113)
 USS DURHAM (LKA 114)
 USS MOBILE (LKA 115)
 USS ST LOUIS (LKA 116)
 USS EL PASO (LKA 117)
 USS RALEIGH (LPD 1)
 USS VANCOUVER (LPD 2)
 USS AUSTIN (LPD 4)
 USS OGDEN (LPD 5)
 USS DULUTH (LPD 6)
 USS CLEVELAND (LPD 7)
 USS DUBUQUE (LPD 8)
 USS DENVER (LPD 9)
 USS JUNEAU (LPD 10)
 USS SHREVEPORT (LPD 12)
 USS NASHVILLE (LPD 13)
 USS TRENTON (LPD 14)
 USS PONCE (LPD 15)
 USS IWO JIMA (LPH 2)
 USS OKINAWA (LPH 3)
 USS GUADALCANAL (LPH 7)
 USS GUAM (LPH 9)
 USS TRIPOLI (LPH 10)
 USS NEW ORLEANS (LPH 11)
 USS INCHON (LPH 12)
 USS ANCHORAGE (LSD 36)
 USS PORTLAND (LSD 37)
 USS PENSACOLA (LSD 38)
 USS MOUNT VERNON (LSD 39)
 USS FORT FISHER (LSD 40)
 USS WHIDBEY ISLAND (LSD 41)
 USS GERMANTOWN (LSD 42)
 USS FORT MCHENRY (LSD 43)
 USS GUNSTON HALL (LSD 44)
 USS COMSTOCK (LSD 45)
 USS TORTUGA (LSD 46)
 USS RUSHMORE (LSD 47)
 USS NEWPORT (LST 1179)
 USS MANITOWOC (LST 1180)
 USS SUMTER (LST 1181)
 USS FRESNO (LST 1182)
 USS PEORIA (LST 1183)
 USS FREDERICK (LST 1184)
 USS SCHENECTADY (LST 1185)
 USS CAYUGA (LST 1186)
 USS TUSCALOOSA (LST 1187)
 USS SAGINAW (LST 1188)
 USS SAN BERNARDINO (LST 1189)
 USS BOULDER (LST 1190)
 USS RACINE (LST 1191)

USS SPARTANBURG COUNTY
 (LST 1192)
 USS FAIRFAX COUNTY (LST 1193)
 USS LA MOURE COUNTY (LST 1194)
 USS BARBOUR COUNTY (LST 1195)
 USS HARLAN COUNTY (LST 1196)
 USS BARNSTABLE COUNTY
 (LST 1197)
 USS BRISTOL COUNTY (LST 1198)
 USS AVENGER (MCM 1)
 USS DEFENDER (MCM 2)
 USS SENTRY (MCM 3)
 USS CHAMPION (MCM 4)
 USS GUARDIAN (MCM 5)
 USS DEVASTATOR (MCM 6)
 USS CONSTANT (MSO 427)
 USS ENHANCE (MSO 437)
 USS ESTEEM (MSO 438)
 USS EXCEL (MSO 439)
 USS EXPLOIT (MSO 440)
 USS EXULTANT (MSO 441)
 USS FEARLESS (MSO 442)
 USS FORTIFY (MSO 446)
 USS IMPERVIOUS (MSO 449)
 USS IMPLICIT (MSO 455)
 USS CONQUEST (MSO 488)
 USS GALLANT (MSO 489)
 USS LEADER (MSO 490)
 USS PLEDGE (MSO 492)
 USS ADROIT (MSO 509)
 USS AFFRAY (MSO 511)
 USS PRAIRIE (AD 15)
 USS SIERRA (AD 18)
 USS YOSEMITE (AD 19)
 USS SAMUEL GOMPERS (AD 37)
 USS PUGET SOUND (AD 38)
 USS YELLOWSTONE (AD 41)
 USS ACADIA (AD 42)
 USS CAPE COD (AD 43)
 USS SHENANDOAH (AD 44)
 USS SURIBACHI (AE 21)
 USS MAUNA KEA (AE 22)
 USS NITRO (AE 23)
 USS PYRO (AE 24)
 USS HALEAKALA (AE 25)
 USNS KILAUEA (T-AE 26)
 USS BUTTE (AE 27)
 USS SANTA BARBARA (AE 28)
 USS MOUNT HOOD (AE 29)
 USS FLINT (AE 32)

USS SHASTA (AE 33)
 USS MOUNT BAKER (AE 34)
 USS KISKA (AE 35)
 USS MARS (AFS 1)
 USS SYLVANIA (AFS 2)
 USS NIAGARA FALLS (AFS 3)
 USS WHITE PLAINS (AFS 4)
 USS CONCORD (AFS 5)
 USS SAN DIEGO (AFS 6)
 USS SAN JOSE (AFS 7)
 USS SACRAMENTO (AOE 1)
 USS CAMDEN (AOE 2)
 USS SEATTLE (AOE 3)
 USS DETROIT (AOE 4)
 USS CIMARRON (AO 177)
 USS MONONGAHELA (AO 178)
 USS MERRIMACK (AO 179)
 USS WILLAMETTE (AO 180)
 USS PLATTE (AO 186)
 USS WICHITA (AOR 1)
 USS MILWAUKEE (AOR 2)
 USS KANSAS CITY (AOR 3)
 USS SAVANNAH (AOR 4)
 USS WABASH (AOR 5)
 USS KALAMAZOO (AOR 6)
 USS ROANOKE (AOR 7)
 USS JASON (AR 8)
 USS LA SALLE (AGF 3)
 USS CORONADO (AGF 11)

USMC Distribution:

CMC (POR)
 CMC (POG) (POG 22)
 CMC (APW)
 CMC (RDS)
 FMFLANT
 FMFPAC
 CG FMFLANT
 CG FMFPAC
 CG FIRST MARDIV
 CG SECOND MARDIV
 CG THIRD MARDIV
 CG FOURTH MARDIV
 CG FIRST MEB
 CG SECOND MEB
 CG FOURTH MEB
 CG FIFTH MEB
 CG SIXTH MEB
 CG SEVENTH MEB

CG NINTH MEB
 CG I MEF
 CG II MEF
 CG III MEF
 CG MCCDC
 MAWTS ONE
 MCCDC MAGTF WARFIGHTING CENTER,
 QUANTICO VA
 MCCDC MARINE COPRS TRAINING AND
 EDUCATION CENTER, QUANTICO VA
 MCRDAC QUANTICO VA
 MCOTEA QUANTICO VA
 FMFEUR DESIGNATE
 CG FIRST MAW
 CG SECOND MAW
 CG THIRD MAW
 CG FOURTH MAW
 CG 11TH MAG
 CG 12TH MAG
 CG 13TH MAG
 CG 14TH MAG
 CG 16TH MAG
 CG 24TH MAG
 CG 26TH MAG
 CG 29TH MAG
 CG 31ST MAG
 CG 32ND MAG
 CG 36TH MAG
 CG 39TH MAG
 CG 50TH MAG
 CG 70TH MAG
 CG FIRST BSSG
 CG SECOND BSSG
 CG THIRD BSSG
 CG FIRST FSSG
 CG SECOND FSSG
 CG THIRD FSSG
 CG MCAGCC 29 PALMS CA
 AASG QUANTICO VA
 USMC AMPHIBIOUS WARFARE SCHOOL
 USMC C&S COLLEGE
 CG LFTCLANT
 CG LFTCPAC
 CO 11TH MEU
 CO 13TH MEU
 CO 15TH MEU
 CO 22ND MEU
 CO 24TH MEU
 CO 26TH MEU
 FIRST ANGLICO

SECOND ANGLICO
 THIRD ANGLICO
 FOURTH ANGLICO

US Army Distribution:

HQUSA (DCOS for RDA)
 CG TRADOC FT. MONROE VA
 CG ARMY ARTSCOL FT. SILL OK

USAF Distribution.

TAC LANGLEY AFB

Stocked by: (50 copies)
 Director
 Navy Tactical Support Activity
 Washington Navy Yard
 Washington, DC 20374

DOCTRINAL STATEMENT

The contents of this publication provide experimental baseline tactics that establish the preferred beginning point for the tactical commander. Options to the experimental baseline tactics are also presented. Tactical commanders will use experimental baseline tactics upon which to build the tactical innovation necessary for success in naval warfighting.

OVER-THE-HORIZON SURFACE AMPHIBIOUS OPERATIONS

CONTENTS

*Page
No.*

SECTION I - FRONT MATTER

SECTION II - BACKGROUND

EXECUTIVE SUMMARY

EX.1	PURPOSE	EX-1
EX.2	SCOPE	EX-1
EX.3	OVERVIEW	EX-1
EX.4	TACTICAL QUICKLOOK	EX.

SECTION III - THE TACTIC

CHAPTER I - INTRODUCTION

1.1	OVERVIEW	1-1
1.2	BACKGROUND	1-1
1.3	PURPOSE	1-1
1.4	SCOPE	1-1
1.5	INTENDED USERS	1-1

CHAPTER 2 - GENERAL TACTICS

2.1	OVERVIEW	2-1
2.2	PLANNING	2-1
2.3	ADVANCE FORCE OPERATIONS	2-2
2.4	COMMUNICATIONS	2-3

2.5	ELECTRONIC WARFARE (EW) AND EMCON	2-3
2.6	INTELLIGENCE	2-4
2.7	SUSTAINING THE LANDING FORCE IN MANEUVER WARFARE	2-4
2.8	MINE COUNTERMEASURES (MCM)	2-4
2.9	FIRE SUPPORT	2-5
2.10	AMPHIBIOUS ASSAULT VEHICLE (AAV) EMPLOYMENT	2-5

CHAPTER 3 - SURFACE ASSAULT SHIP-TO-SHORE MOVEMENT

3.1	OVERVIEW	3-1
3.2	ASSEMBLY AND DEPARTURE	3-1
3.3	TRANSIT TO BEACH	3-2
3.3.1	Landing Craft Movement	3-2
3.3.2	Landing Craft Control	3-4
3.4	ARRIVAL/OFFLOAD	3-7
3.5	DEPARTURE AND RETURN TRANSIT	3-7

CHAPTER 4 - SURFACE RAID SHIP-TO-SHORE MOVEMENT

4.1	OVERVIEW	4-1
4.2	ASSEMBLY AND DEPARTURE	4-2
4.3	TRANSIT TO BEACH	4-2
4.3.1	Raiding Craft Control	4-2
4.4	DEPARTURE AND RETURN TRANSIT	4-2

SECTION IV - ADDITIONAL INFORMATION CLARIFYING UNDERLYING LOGIC FOR TACTIC (NA)

SECTION V - THE EVALUATION PLAN

CHAPTER 5 - TRANSITION TO DOCTRINE

5.1	PLAN FOR TRANSITION TO DOCTRINE	5-1
-----	---------------------------------------	-----

*Page
No.*

5.1.1	Unsolicited Evaluation	5-1
5.1.2	Formal Evaluation	5-1
5.2	DATA COLLECTION REQUIREMENTS	5-1
5.2.1	Forces Required	5-1
5.2.2	Data Collection	5-1

APPENDIX A - REFERENCES**APPENDIX B - ACRONYMS**

LIST OF ILLUSTRATIONS

*Page
No.*

Figure 3-1	Ship-to-Shore Movement of Conventional Craft and LCAC	3-2
Figure 3-2	Ship-to-Shore Movement of LCAC Only	3-3
Figure 3-3	Landing Craft Command and Control	3-5

Executive Summary

EX.1 PURPOSE

This TACMEMO provides procedural guidance for conducting over-the-horizon (OTH) surface amphibious operations employing newly acquired ships, craft, and command, control, communications, and intelligence (C³I) systems.

EX.2 SCOPE

This TACMEMO is limited to systems and equipment that have an initial operational capability (IOC) date no later than fiscal year 1992. Additionally, this TACMEMO only addresses those areas that are affected by OTH employment. NWP 22-3, Ship-to-Shore Movement, is being revised at the time of this TACMEMO's publication. In particular, significant changes in terminology and command and control (C²) structure are being considered. COMSURFWARDEVGRU and MCCDC MAGTF Warfighting Center are working closely together on both publications. This TACMEMO will be revised, if required, to clarify any significant differences between the two documents.

EX.3 OVERVIEW

New possibilities exist for conducting amphibious operations with the acquisition of new amphibious ships such as the LHD 1 Class, which has greatly expanded C³I capabilities, and the high speed amphibious air cushion landing craft (LCAC).

EX.4 TACTICAL QUICKLOOK

This TACMEMO describes two ship-to-shore (STS) movements. The first STS movement is a surface assault using conventional displacement craft and LCAC. The second STS movement is a surface raid using the combat rubber raiding craft (CRRC) and the rigid raiding craft (RRC).

Procedural guidance is provided in the following areas:

1. Assembly and departure
2. Transit to beach
3. Arrival and offload
4. Departure and return transit.

CHAPTER 1

Introduction

1.1 OVERVIEW

This chapter provides general information on the reason for this TACMEMO, its scope, and its intended users.

1.2 BACKGROUND

New possibilities exist for conducting amphibious operations with the acquisition of new amphibious ships such as the LHD 1 Class, which has greatly expanded command, control, communications, and intelligence (C³I) capabilities, and the high speed amphibious air cushion landing craft (LCAC). Tactics for optimally exploiting the full potential of these new capabilities and craft have not been previously developed.

1.3 PURPOSE

This TACMEMO provides tactics for conducting OTH surface amphibious operations employing newly acquired amphibious ships, craft, and C³I systems.

1.4 SCOPE

The scope of this OTH surface amphibious operations TACMEMO is limited to systems and equipment that have an initial operational capability (IOC) date no later than fiscal year 1992. Additionally, only those areas that are affected by OTH employment will be addressed. NWP 22-3, Ship-to-Shore Movement, is being revised at the time of this TACMEMO's publication. In particular, significant changes in terminology and command and control (C²) structure are being considered. COMSURFWARDEVGRU and MCCDC MAGTF Warfighting Center are working closely together on both publications. This TACMEMO will be revised, if required, to clarify any significant differences between the two documents.

1.5 INTENDED USERS

The intended users of this TACMEMO include United States Navy and United States Marine Corps (USMC) staff personnel involved in planning and executing amphibious operations, shipboard and landing force personnel, surface craft operators, aircrews, Naval Surface Fire Support (NSFS) personnel, and other units supporting amphibious operations.

CHAPTER 2

General Tactics

2.1 OVERVIEW

This chapter discusses general tactics such as tactics for advanced force operations, Naval Surface Fire Support (NSFS), and time/distance considerations. Planning and executing amphibious operations shall be in accordance with Joint Pub 3-02, Joint Doctrine for Amphibious Operations. Tactics for vertical lift are covered in Naval Warfare Publication (NWP) 22-3, Ship-to-Shore Movement, and are not discussed in this TACMEMO.

2.2 PLANNING

A flexible landing plan will enable commander, amphibious task force (CATF) and the commander, landing force (CLF) to gain and retain the tactical initiative, enhance operational flexibility, take advantage of enemy force dispositions and/or weaknesses, and employ the element of surprise to the maximum extent. This capability is based on the range and speed capabilities inherent in the air cushion landing craft (LCAC) and vertical takeoff and landing (VTOL) platforms which allow a coordinated assault over a wide range of potential landing zones. If troops and equipment are to be transported to the beach by conventional displacement craft and LCAC, hydrographic features which do not affect LCAC operations may limit the number of potential landing sites available to the CATF and CLF.

WARNING

Conventional displacement craft and LCAC are configured with various combinations of communications and navigation equipment. Not only are different combinations of equipment installed on each craft, but operational availability of the installed equipment will vary. Planners must ensure that the correctly equipped and operational craft lead the waves and that the USMC commanders and equipment are loaded/embarked accordingly.

The order of landing the various assault waves (VTOL, conventional displacement landing craft, LCAC, and amphibious assault vehicles (AAVs)) should be driven by the expected tactical situation and the need for rapid buildup of combat power ashore.

Note

The OTH amphibious operation will normally be required to transition to under the horizon (UTH) amphibious operations to adequately support the rapid buildup of combat power ashore.

Within the inherent capabilities of the available amphibious ships and their unique operational characteristics, the landing plan should be designed around the scheme of maneuver ashore and should provide maximum flexibility to respond to changes in the expected tactical situation, coupled with real-time intelligence inputs and enemy force dispositions. The following addresses contingencies and emergencies during ship-to-shore (STS) movement and conduct of operations ashore:

1. Go/no go criteria (factors used to determine whether to continue or abort the mission)
2. Bump plan(s) (planned alternative courses of action that allow reaction to equipment losses and/or changes in the tactical situation)
3. Emergency reinforcement
4. Emergency extraction
5. Emergency medical evacuation (MEDEVAC) procedures.

2.3 ADVANCE FORCE OPERATIONS

Because of the increased options for selecting potential landing sites for an OTH amphibious operation, advance force operations may include the following:

1. Deceiving the enemy
2. Forcing premature commitment of enemy defensive forces
3. Gathering updated intelligence on enemy dispositions and capabilities
4. Interdicting, isolating, and destroying enemy beachhead defenses.

The reduced impact of landing beach gradients and submerged obstacles to LCAC does not obviate the need for a preassault hydrographic reconnaissance and surf observation report (SUROB).

⇒ Sea-air-land (SEAL) teams will still be required to conduct hydrographic reconnaissance and SUROB because displacement craft and amphibious shipping may operate close to the beach to conduct STS movement. In addition, reconnaissance of inland areas will be required to identify multiple LCAC landing sites and ingress and egress routes.

SEAL teams or landing force reconnaissance personnel conducting advance force operations may be required to provide terminal guidance to the landing craft into the craft landing zone (CLZ). Commanders must consider the possibility of compromise and must plan for expeditious recovery of personnel, should such a compromise occur.

Note

For further information on SEAL employment in amphibious operations, refer to NWP 22-4, Underwater Demolition Teams in Amphibious Operations; SEAL Delivery Beach Feasibility Study; TACMEMO XL0080-7-89, NSW Special Reconnaissance Operations and Reporting; and TACMEMO XL0080-5-90, NSW Very Shallow Water Mine Countermeasures. SEAL teams, Marine force reconnaissance, raid force scout swimmer(s), and beach master personnel are trained and qualified to collect

FORM 21010-101

SUROBs. Detailed information on the SUROB may be found in COMNAVSURFPAC/COMNAVSURFLANTINST 3840.1B, Joint Surf Manual.

Complexities of maintaining local air, surface, and subsurface superiority and supremacy will likely be increased due to the increased size of the landing area that may need to be isolated as well as the impacts of emission control (EMCON) on the detection and identification of potential threat targets. As the size of the landing area increases, prosecuting targets becomes more difficult due to the potential for an increase in number of neutral targets and limitations of line of sight sensors.

A crucial effort is gathering real-time intelligence showing the enemy's strengths and weaknesses. This vital information will determine the final selection of landing beaches and landing zones, time of the operation, and the landing force objectives. During OTH amphibious operations, the difficulty of relaying intelligence information in a timely and accurate manner increases.

2.4 COMMUNICATIONS

The communications system supporting the OTH amphibious operation must be fast, reliable, mobile, secure, and able to span a large area of operations. Navy forces will provide all external and intership communications during the movement to the amphibious objective area (AOA). Communication plans of Navy and landing forces must provide for sufficient channels of communications during the STS movement to permit exercise of measures of control and coordination. Electronic emissions, particularly radio, should be severely restricted in the early phases of the operation to prevent disclosure to the enemy of the location, movements, and intentions of the amphibious task force (ATF).

Note

During the OTH portion of an amphibious operation, communications should be limited to the minimum number of nets required to exchange critical information for effective command and control (C²). Message orders and burst transmission capable communications equipment should be used.

During the assault, primary reliance must be placed on single and multichannel radio communications. This requirement must be considered in planning the numbers and types of circuits required and in assigning the available frequencies.

2.5 ELECTRONIC WARFARE (EW) AND EMCON

The advantages to the ATF of employing silent EMCON include expanded opportunity to deceive the enemy as a result of an OTH launch capability. Disadvantages of exercising silent EMCON should be considered before it is employed; silent EMCON operations require rigorous training of personnel to maintain adequate command, control, communications, and intelligence (C³I) and ensure success. Additionally, silent EMCON may allow the threat to maneuver without early detection by amphibious forces.

Note

In a hostile EW environment, digital communications terminals (DCTs) should be considered for use to allow for limited C³I.

2.6 INTELLIGENCE

The requirement for current, accurate, and continuously updated intelligence on enemy forces throughout the AOA is of even greater importance in OTH amphibious operations than traditional UTH amphibious operations. It is important that the element of tactical surprise be achieved. Of equal importance is detailed information concerning topographical features either as they pose dangers to land operations or as they may be exploited by the landing force.

Mobility of defensive forces and long transit times associated with OTH amphibious operations, particularly if displacement craft are used, may result in a significant change to the tactical situation at the planned landing beaches and zones after the start of the STS movement. Real-time intelligence at the planned landing beaches and zones is required to allow CATF/CLF to maximize the tactical flexibility of the OTH launch.

2.7 SUSTAINING THE LANDING FORCE IN MANEUVER WARFARE

Sea basing will occur for a portion of nearly all OTH amphibious operations. This will reduce the logistics buildup ashore and help protect vital supplies from enemy attack during the initial portion of the amphibious operation.

When offloading of landing force supplies does occur, it will be more selective than in historical amphibious operations. It may involve multiple offloading sites if this enhances responsiveness to the CLF's needs. The goal is to keep the supply buildup ashore to the minimum safe level required to sustain the landing force without creating an unnecessary liability for the landing force.

2.8 MINE COUNTERMEASURES (MCM)

The Navy is responsible for mine reduction efforts from the sea to the high water mark. For the ATF's landing area to remain undetected by the threat, overt MCM will need to be done rapidly, immediately preceding and during the assault. If mines are encountered, landing craft will likely have to pass through multiple barriers of mines prior to reaching the beach.

WARNING

At the present time, clearance to the beach may not be feasible, so the best protection is mine avoidance. To avoid mines, mine reconnaissance becomes increasingly important. The best protection when operating in an environment known to be mined is mine avoidance. —

Most potential enemies can employ mines throughout the entire landing area. Anticraft minefields may be established in very shallow water (VSW) areas where the craft are most vulnerable. Land mines and anti-invasion mines may be planted in VSW, the surf zone, and above the high water mark. Naval influence mines and specially designed anti-invasion mines can be expected to threaten present displacement craft out to greater depths. Antiship minefields can be expected further offshore.

The mine clearance process should begin by clearing the sea echelon area OTH and its approaches. These operations may be performed days before the scheduled assault if they do not reveal the location of the landing zone.

2.9 FIRE SUPPORT

Preassault concentrated preparation fire support may be restricted to preserve tactical surprise. The primary mission of NSFS may shift from destroying enemy forces in the vicinity of the landing beaches to isolating the landing area, especially prior to D-day and H-hour. The historic naval gunfire support (NGFS) preassault shore bombardment of beaches has given way to the possibility of bombardment to isolate the beaches for the OTH amphibious operation. Despite this shift in emphasis, air and NSFS will remain a necessity for successful prosecution of an amphibious operation even if the force lands over lightly defended or undefended landing beaches.

Advance force and preassault operations will focus on preparing the battlefield for the assault. The targets must be carefully chosen; those enemy capabilities which friendly forces cannot avoid, such as air defense systems, must be attacked. Enemy capabilities with long recovery times are prime targets during this period; those which can recover quickly should be identified and reserved for attack just prior to the landing.

Mission planners must consider the types of fire required by the expected tactical situation, the available means of delivery, and the means of control. The ability to launch the amphibious operation from OTH requires considering the weapons range, C² system range, timeliness and accuracy of target acquisition information, and interaction with other joint or allied forces.

Carrier, land-based, or organic amphibious aviation, augmented with naval gunfire and infantry weapons systems, provides the bulk of fire support until artillery assets are in place ashore. Initially, aviation must assume the counterfire role, placing enemy indirect fire systems at risk and providing freedom of maneuver to assault elements. Navy and Marine aviation will continue to provide significant fire support for the landing force throughout the operation and must be tactically responsive to the landing force.

2.10 AMPHIBIOUS ASSAULT VEHICLE (AAV) EMPLOYMENT

Due to poor seaworthiness and slow speed, when AAVs are employed in an OTH amphibious operation, they must be transported by one of the following methods:

- 1. LCU transports the AAV to the beach
2. LCU transports the AAV to the vicinity of the beach, and the AAV swims ashore
3. LCAC transports the AAV to the beach
4. LCAC transports the AAV to the vicinity of the beach and comes off cushion, and the AAV swims ashore.

WARNING

The LCAC in-stream offload of the AAV may cause damage to and/or operational loss of the LCAC.

Hydrographic reconnaissance information and expected threat situation at the time of landing must be considered when determining which AAV employment option(s) should be used in an amphibious operation.

CHAPTER 3

Surface Assault Ship-to-Shore Movement

3.1 OVERVIEW

The surface assault force attacks across multiple, widely dispersed landing beaches. These landing beaches are locations on the littoral where the hydrography, terrain, and enemy situation allow Marines to land and thrust inland as rapidly and deeply as necessary. These separate forces may be as small as a reinforced infantry company. Whatever the size, each is task organized as a self-contained, highly mobile, combined arms force.

Surface platforms that will be discussed include conventional displacement craft and air cushion landing craft (LCAC).

Note

The current number of LCAC available for operational use may limit the scope of near-term OTH operations.

3.2 ASSEMBLY AND DEPARTURE

Assault craft shall launch from designated launch areas and proceed to the landing beach along prescribed approach and retirement routes. Locations of the initial launch areas shall be determined by commander, amphibious task force (CATF) and may range from a few thousand yards to 100 nautical miles offshore. Movement must be coordinated between displacement craft, LCAC, vertical takeoff and landing aircraft (VTOLs), and assault amphibious vehicles (AAVs) to support the landing plan and ensure timely combat power buildup ashore at H-hour.

To ensure timely combat power buildup ashore, the departure time shall be determined by "backward planning" from H-hour. The time is calculated by subtracting from H-hour the required time to transit from the departure point to the penetration point at the nominal speed designated for the mission.

Note

In planning transit times for the LCAC, information is available in LCAC Safe Engineering and Operations (SEAOPS) S9LCA-AA-SSM-010. For an example, the LCAC can exceed 50 knots in sea state zero or 1, but maximum speed decreases as sea state increases.

When calculating craft departure times, the planner must consider the following:

1. Whether the craft are to arrive at the beach simultaneously
2. Should the craft become visible at the horizon simultaneously
3. Should the craft depart at the same time and reach the beach at different times.

3.3 TRANSIT TO BEACH

This section discusses the environmental impacts, timing, and command, control, and communications (C³) on the assault craft's transition to the landing beach.

3.3.1 Landing Craft Movement. Since displacement craft will still be in the inventory and the number of LCAC available will be limited, tactics presented herein include operations using conventional displacement craft and LCAC (see figure 3-1) and operations with LCAC only. (See figure 3-2.)




Figure 3-1. Ship-to-Shore Movement of Conventional Craft and LCAC

Note

When operating together, displacement craft should operate in the center and LCAC on the flanks, if feasible. Separate beaches should be used for each type of craft. Each type of craft should have separate ingress and egress lanes assigned for each beach.

Displacement craft (boats and AAVs) shall operate in accordance with the basic procedures shown in NWP 22-3, Ship-to-Shore Movement, which are modified to reflect that the primary control ship (PCS) and second control ship (SCS) may remain OTH for the initial assault.

Note

Displacement craft, LCAC, and AAVs shall operate in various formations IAW NWP 22-3. Although LCAC are not specifically mentioned in NWP 22-3, they should be considered for inclusion wherever landing craft are mentioned, when applicable.

As shown in figure 3-2, LCAC shall depart the well and proceed to the craft collection area (CCA) to assemble into waves. The LCAC shall then proceed to the craft departure point (CDP) to commence the transit to the beach. The craft shall use global positioning system (GPS) to navigate to the proper beach. If EMCON conditions permit, the onboard radar may also be used in conjunction with GPS. If EMCON conditions do not permit the use of on-board radar and/or GPS, craft shall be controlled by external methods, as discussed later in this chapter.




Figure 3-2. Ship-to-Shore Movement of LCAC Only

WARNING

If charts are known or are suspected to be inaccurate, craft should not rely solely on GPS for terminal guidance through the surf zone. Beach markers, placed by the advance force, may be used to assist transit of the surf zone.

The LCAC's speed and range afford the CATF great flexibility in planning and executing the assault. Figure 3-2 shows two examples of planning using multiple beaches and multiple lanes to a single beach. The right side of the figure illustrates the use of multiple lanes to a single beach using a decision point (DP) as the place where the appropriate lane is determined. This decision may be a result of which side of the terrain feature the threat is approaching, thus using the terrain to mask the craft landing zone (CLZ). The DP provides greater flexibility to the commander, but requires more coordination if used. The left side of the figure shows how multiple beaches may be used to take advantage of terrain that may hinder the threat's movement.

The DP is an arbitrary point that is selected by the CATF to allow the tactical option of changing the landing beach after the launch of the initial wave(s). Using a DP may allow tactical planners to maximize the capability to exploit the changing structure of the battlefield during the transit of the initial wave(s). The DP allows planned responses to be used which alter the landing plan as tactical intelligence is received to exploit the changing surfaces and gaps in the enemy's defensive posture. The DP should be placed far enough seaward so that craft do not have to travel parallel to the beach within range of enemy weapons systems or create confusion for the craftmasters as to their final destination. The slow speed of displacement craft and local hydrography which may limit the available landing beaches makes using a DP for displacement craft unlikely, but it is an option.

Following offload, the LCAC shall return via outbound lanes using the return to force (RTF) procedures promulgated in the OPTASK ASUW to the craft holding area (CHA), as directed by the LCAC control officer (LCO). The LCO is discussed in more detail in landing craft control.

3.3.2 Landing Craft Control. There are four types of controls for surface-borne operations: independent, waypoint, advisory, and positive. The type of control selected depends on the mission and tactical situation, landing craft navigation suite available, and communication capabilities. The operator performing the actual control function may be aboard a landing craft, an amphibious ship, or an airborne platform.

Figure 3-3 shows the landing craft command and control (C²) structure. All assault craft destined for a particular colored beach are controlled by a primary control officer (PCO) on the PCS. LCAC are controlled by an LCO on the LCAC control ship (LCS). The LCO shall be subordinate to the PCO and shall in turn task the LCAC through the LCAC group commander. The LCO shall provide status reports to the PCO. The SCO shall control the conventional craft operations. The PCO shall monitor the overall picture. A secondary LCAC control ship (SLCS) shall be ^{\"13C\"}designated by PCO and shall relieve or assist the primary LCS, if necessary.

3.3.2.1 Independent Control. Craft shall exercise independent control when amphibious operations are conducted under silent EMCON conditions. Assault craft personnel are briefed on the plan and, once launched, exercise control of the craft independent of the amphibious task force (ATF). When the use of GPS is authorized, craft may be capable of fully independent ship-to-shore (STS) movement.

When the use of radar and GPS is authorized, craft are capable of fully independent STS movement. The radar is used in the final approach to the beach; as a check for distance offshore, and is particularly useful in areas where charts are known or are suspected to be inaccurate. If the radar cannot be used in conjunction with GPS, however, the penetration point should be identified by some type of beach marker.




Figure 3-3. Landing Craft Command and Control

For OTH assaults using independent control, it is essential that the assault craft pass over the departure point as accurately as possible and at the time specified in the mission timeline.

3.3.2.2 Waypoint Control. In waypoint control, craft are prebriefed and conduct independent STS movement. The only difference from independent control is that craft emit a single transmission as they cross waypoints, thus informing the controlling units and embarked commanders of the movement's status.

3.3.2.3 Advisory Control. In advisory control, craft are given their launch position and a vector to their first control point. If the craft stray significantly from the planned route, the control officer gives the craft commander his position and a time early or late based on the preestablished timeline. The craft commander then modifies course and speed to regain the planned track at the next control point.

Note

Due to the LCAC's speed, advisory control is preferable to positive control because most commands will be time late. However, positive control is sometimes essential.

3.3.2.4 Positive Control. In positive control, craft position and navigation information are continuously updated via an external control source which may be electronic, voice communication, or data link. For OTH amphibious assaults under positive control, radar shall be the primary sensor for determining assault craft position relative to the CLZ with voice radio being used to provide position and vector information to the craft. The assault craft should be launched approximately 10 minutes prior to the desired departure time at a suitable position seaward of the CDP. Assault craft are initially vectored to the CDP in such a manner as to cross the CDP at or close to the designated time. They can be maneuvered as necessary to adjust their arrival time at the CDP. When radar contact cannot be directly maintained by the control ship, the following procedures may be employed.

3.3.2.4.1 Airborne Relay. In this method, an aircraft is stationed to provide assault craft position information to the PCO/LCO. This is done electronically using aircraft systems. The aircraft shall act as a radio relay between the controllers and the advancing assault craft.

Note

More detailed information on the procedures that are listed below may be found in TACMEMO PD0057-1-91, AEW/NAEW Aircraft and LAMPS Helicopter Control of Landing Craft and Helicopters in Amphibious Over-the-Horizon Operations.

The tactic using PCS/LCS control of amphibious landing craft via Link 11 data and AUTOCAT communications with an airborne early warning/NATO airborne early warning (AEW/NAEW) aircraft is designated as Motherhen. Controller calls concerning checkpoint passage, course, and speed changes may, if desired, be conducted by coded broadcast (preestablished by the tasking message) with no acknowledgement required. It should be noted that if AEW/PCS link/communications fail, the assault could continue by switching to the Dragonfly tactic. (See 3.3.2.4.3 below.)

The tactic using PCS/LCS control of amphibious landing craft via LAMPS Mk III data link, Link 11, and high frequency (HF) or LAMPS relay of voice communications is designated as Hawkcast. This tactic is similar to Motherhen.

3.3.2.4.2 Trail Ship Control. In this method, a designated ship/surface craft shall position itself so that it can maintain control of the assault craft as they transit to the landing beach. It may be necessary for the trail unit to proceed toward shore prior to the LCAC launch to stay in a position where it can maintain radar contact with the higher speed LCAC. In the event of an OTH launch from outside 50 nautical miles, it may be necessary to provide multiple trail control units to provide a navigation line from the ATF to the penetration point.

3.3.2.4.3 Airborne Control. When airborne control is employed, one aircraft shall control one assault craft transit lane.

Note

* Typical aircraft which may be used for airborne control are P-3, E-2/E-3, S-3, and SH-60.

The tactic that uses AEW/NAEW aircraft for controlling amphibious landing craft with the PCS monitoring via Link 11/Link 14/voice is designated as Dragonfly. The tactic that uses LAMPS Mk I/III aircraft for controlling as-

sault craft with the PCS monitoring voice communications or Link 11 relayed from an escort in data link with LAMPS Mk III is designated as Lamplight.

3.4 ARRIVAL/OFFLOAD

To reduce detection and increase the survivability of arriving LCAC, the final approach to the CLZ should be perpendicular to the beach.

During OTH operations using LCAC, a CLZ control party may not be ashore prior to the landing of the initial waves. In this case, the beach master CLZ control personnel should be brought ashore to provide control as soon as possible in each CLZ. Once beach masters are present, LCAC should contact, EMCON permitting, the CLZ control party prior to entering the CLZ.

Note

Separate frequencies should be assigned for each CLZ.

As it has been previously discussed, tactical considerations may make it prudent to provide beach markers to aid all landing craft in terminal guidance to the beach/CLZ.

CAUTION

To ensure arrival at the correct beach, personnel marking and/or controlling the beach should use navigation equipment that has equal or greater precision than the navigation equipment being used onboard the assault craft.

3.5 DEPARTURE AND RETURN TRANSIT

As soon as a craft has dropped its load, it heads outbound to the holding area for further tasking from the appropriate LCO/secondary control officer (SCO). Assault craft shall check in with the beach control party for outbound control and tasking. The LCO/SCO has the option of vectoring the assault craft to a ship for loading, refueling, or holding the assault craft in the holding area to await further tasking.

WARNING

ASUW RTF procedures should be followed during return transit to prevent loss of craft and/or personnel to friendly fire. If installed and operational, the identification friend or foe (IFF) and position location reporting system (PLRS) should be considered for use. In addition to these pieces of equipment, corridors and communication code words should be planned for use during the operation.

To assist in close range identification of returning craft, all available electro-optic and infrared (EO/IR) sensors should be used. LCAC are uniquely identifiable when viewed in the AN/KAS-1. During night operations, IR flashing light RTF procedures may be used as a means of identification. When challenged by ships, LCAC should energize deck lighting to assist in identification.

CHAPTER 4

Surface Raid Ship-to-Shore Movement

4.1 OVERVIEW

Although all types of landing craft may be used in conducting a surface raid, this chapter will only discuss the unique characteristics of rigid raiding craft (RRC) and combat rubber raiding craft (CRRC). When conducting a raid using conventional displacement craft or air cushion landing craft (LCAC), the procedures outlined in chapter 3 should be employed.

RRC and CRRC are employed to land small, lightly armed and lightly equipped forces on undefended beaches to execute an amphibious raid. A raid is conducted against a limited objective, for a limited duration, and includes a planned withdrawal. The raid may be an independent operation or a supporting operation. For more information on raiding craft, see COMNAVSURFPAC/COMNAVSURFLANTINST 3000.15/FMFPAC P3000.15 N30/WPC 043-91, Standard Operating Procedures for Raiding Craft.

When planning tactical utilization of RRCs and CRRCs, the inherent characteristics of each type of craft must be considered. The RRC has several capabilities that are superior to those of the CRRC. The RRC can maintain greater speed, it is more survivable because of its more durable hull and dual engines, and it can be employed as a machinegun platform in riverine operations.

The CRRC, however, is superior to the RRC in other aspects. Its biggest advantage is that it is more practical for conducting insertion and extraction operations across surf zones.

WARNING

There are methods for landing Marines ashore through a surf zone with RRCs, but they are inherently more difficult. RRCs may be employed directly on a beach, but should only be beached when surf conditions are encountered with surf height of 1 foot or less (sea state zero).

The CRRC has the additional advantage of launch and/or recovery from an LCU or LCAC.

Based on the tactical employment considerations, RRCs are best employed against targets which are accessible by protected waterways such as harbors, bays, or rivers. CRRCs are best employed when surf zone negotiation is required and/or the situation warrants using other landing craft for a portion of the transit. Combinations of CRRC/RRC should also be considered to optimize the raid force.

4.2 ASSEMBLY AND DEPARTURE

In OTH operations, the raiding craft are generally launched from amphibious shipping approximately 20 nautical miles from shore. When determining the actual distance from the objective ashore from which to execute a launch, sea state, weather, transit times, and enemy electronic detection capabilities should be considered. The goal is to keep the amphibious ship protected and far enough away to prevent operational compromise while, at the same time, minimize the distance for the raid force (RF) to reduce the physical demands caused by long open-ocean transits.

The LCAC has proven to be an effective vehicle for the long range insertion and recovery of sea-air-land (SEAL) teams or Marine reconnaissance personnel in CRRCs. CRRCs may navigate by the global positioning system (GPS), position locating and reporting system (PLRS), or magnetic compass. When operating with magnetic compass only, it is important that the LCAC come off cushion at the precise dropoff/pickup point agreed upon for the operation during total EMCON. As an added safety measure, the LCAC should give the CRRC a magnetic vector to the landing point prior to its departure.

Surf conditions are a critical consideration in making the final determination whether or not to launch the raid force.

4.3 TRANSIT TO BEACH

Once the RF is launched, it will proceed to a point a minimum of 500 yards seaward of the landing point. The commander, amphibious task force (CATF) or advance force commander (AFC) is responsible for deciding to cross the surf zone, but may give the raid force commander (RFC) the authority to make this decision.

WARNING

Inside 500 yards, craft and personnel are subject to small arms fire.

4.3.1 Raiding Craft Control. Raiding craft may use the four methods of control discussed in paragraph 3.3.2. However, raiding craft will normally exercise independent control because of the necessity for the raid force to remain undetected or unidentified for a sufficient period of time to achieve tactical surprise. There must be a radio net linking the RFC to the CATF's or AFC's controlling agency. The CATF or AFC must be able to contact the CATF's or AFC's controlling agency upon enemy contact to execute a contingency plan in case of an emergency or to pass other mission critical information.

4.4 DEPARTURE AND RETURN TRANSIT

In some instances, the raiding craft may reposition to a helicopter landing zone (HLZ). When helicopters are used for return transit, the raiding craft may be:

- ✓ 1. Hidden and recovered later
2. Destroyed prior to departure
3. Abandoned.

WARNING

ASUW return to force (RTF) procedures should be followed during return transit to prevent a loss of raiding craft and/or personnel to friendly fire. If the PLRS is onboard and operational, it should be considered for use. Corridors and an execution checklist or communication code words should be planned for use during the operation.

CHAPTER 5

Transition to Doctrine

5.1 PLAN FOR TRANSITION TO DOCTRINE

The material in this TACMEMO, once validated, is intended for inclusion in NWP 22-3, Ship-to-Shore Movement. This TACMEMO may be used until modifications to the tactics are submitted.

5.1.1 Unsolicited Evaluation. Users are encouraged to submit unsolicited evaluations at any time via their chain of command to COMSURFWARDEVGRU, Naval Amphibious Base, Little Creek, Norfolk, VA 23521-5160.

5.1.2 Formal Evaluation. COMSURFWARDEVGRU will schedule formal evaluation of this TACMEMO to ensure its timely validation. Commands wishing to participate in this validation effort should advise COMSURFWARDEVGRU via their chain of command.

5.2 DATA COLLECTION REQUIREMENTS

5.2.1 Forces Required. Minimum forces to conduct exercise evaluation of this TACMEMO should be a ship act as LCAC control ship (LCS), one or more amphibious ships with helicopters and landing craft (air cushion landing craft (LCAC) and LCU)), combat rubber raiding craft (CRRCs)/rigid raiding craft (RRCs), and one or more airborne early warning (AEW)/NATO airborne early warning (NAEW) aircraft or LAMPS helicopters.

5.2.2 Data Collection. Data to be collected for evaluation should include:

1. Weather data for the area and period of the exercise, including integrated refractive effects prediction system (IREPS), if available
2. Copies of preexercise messages, OPTASKs, and planning documents
3. Annotated copies of charts and overlays used in the exercise
4. Copies of logs
5. Narrative reports identifying the tactics used, forces involved, results, problems identified, and corrective measures used or recommended
6. Comments on the usefulness of these tactics and recommendations for improvement or cancellation.

APPENDIX A

References

1. Joint Pub 3-02, Joint Doctrine for Amphibious Operations, Final Draft, April 1991.
2. Joint Pub 3-02.1, Joint Doctrine for Landing Force Operations.
3. NWP 22-2 (Rev. A), Supporting Arms in Amphibious Operations, Office of the Chief of Naval Operations, July 1980.
4. NWP 22-3 (Rev. A), FMFM 1-8, Ship-to-Shore Movement, Office of the Chief of Naval Operations, June 1988.
5. NWP 22-4, Underwater Demolition Teams in Amphibious Operations, Office of the Chief of Naval Operations, December 1982.
6. FMFM 1, Warfighting, USMC, 6 March 1989.
7. U.S. Marine Corps Over-the-Horizon Amphibious Operations Concept, Marine Corps Combat Development Command.
8. TACMEMO PD0057-1-91 AEW/NAEW Aircraft and LAMPS Helicopter Control of Landing Craft and Helicopters in Amphibious Over-the-Horizon Operations, Commander Surface Warfare Development Group, March 1991.
9. TACMEMO XL0058-3-89, SEAL Delivery Beach Feasibility Study, Naval Special Warfare Center, 15 November 1989.
10. TACMEMO XL0080-7-89, NSW Special Reconnaissance Operations and Reporting, Naval Special Warfare Center, 1 December 1989.
11. TACMEMO XL0080-5-90, NSW Very Shallow Water Mine Countermeasures, Naval Special Warfare Center, 26 December 1990.
12. COMNAVSURFLANTINST 3340.3B/COMNAVSURFPACINST 3340.3B, Wet Well Operations, 5 April 1989.
13. COMNAVSURFPAC/COMNAVSURFLANTINST 3000.15/FMFPAC/LANTO P3000.15 N30/WPC 043-91, Standard Operating Procedures for Raiding Craft.
14. COMNAVSURFPAC/COMNAVSURFLANTINST 3840.1B, Joint Surf Manual, 2 January 1987.
15. Lessons learned and postexercise reports on employment of the LCAC.
16. Technical Memorandum 501-89, Mine Countermeasure Requirements in the Amphibious Objective Area, Naval Coastal Systems Center, March 1989.

APPENDIX B

Acronyms

AAV	Assault Amphibious Vehicle	NAEW	NATO Airborne Early Warning
AEW	Airborne Early Warning	NGFS	Naval Gunfire Support
AFC	Advance Force Commander	NSFS	Naval Surface Fire Support
AMCM	Airborne Mine Countermeasures	NSW	Naval Special Warfare
AOA	Amphibious Objective Area	NWP	Naval Warfare Publication
ASUW	Antisurface Warfare		
ATF	Amphibious Task Force	OPDEC	Operational Deception
C ³ I	Command, Control, Communications, and Intelligence	OTH	Over-the-Horizon
CATF	Commander, Amphibious Task Force	PCO	Primary Control Officer
CCA	Craft Collection Area	PCS	Primary Control Ship
CDP	Craft Departure Point	PLRS	Position Locating Reporting System
CHA	Craft Holding Area		
CLF	Commander, Landing Force	RF	Raid Force
CLZ	Craft Landing Zone	RFC	Raid Force Commander
CRRC	Combat Rubber Raiding Craft	RRC	Rigid Raiding Craft
		RTF	Return to Force
DCT	Digital Communications Terminal	SAR	Search and Rescue
DP	Decision Point	SEAL	Sca-Air-Land
EMCON	Emission Control	SEAOPS	Safe Engineering and Operations
EO/IR	Electro-Optic/Infrared	SLCS	Secondary LCAC Control Ship
EW	Electronic Warfare	STS	Ship-to-Shore
		SUROB	Surf Observation Report
GPS	Global Positioning System	TACMEMO	Tactical Memorandum
HLZ	Helicopter Landing Zone	UTH	Under-the-Horizon
IAW	In Accordance With	VSW	Very Shallow Water
IFF	Identification Friend or Foe	VTOL	Vertical Takeoff and Landing
IOC	Initial Operational Capability		
LCAC	Air Cushion Landing Craft		
LCO	LCAC Control Officer		
LCS	LCAC Control Ship		
LCU	Landing Craft, Utility		
MCM	Mine Countermeasures		
MDLT	Mine Detection Laser Technology		
MEDEVAC	Medical Evacuation		

